



## MT17

### Touchscreen monitor

The Custom MT17 touchscreen monitor is designed to withstand the harshest environments for all industries including retail and restaurant applications.

The MT17 features a vivid 4:3 standard format display, durable 10-point PCAP touch panel, HDMI and VGA video inputs, and metal construction to provide maximum stability.



CHARACTERISTICS

MULTI-TOUCH

The MT17's 10-point touchscreen lets you take advantage of modern touch gestures.

VESA MOUNTABLE

The MT17 can be mounted to any pole or wall mount that supports 75x75mm VESA.

ADJUSTABLE STAND

The collapsible all-aluminum stand lets you smoothly tilt the display to the perfect angle.

PACKING LIST

- MT17 Touchscreen Monitor
- Monitor Stand
- Power Adapter
- USB and VGA Cable

TECHNICAL SHEET

|                       |                               |
|-----------------------|-------------------------------|
| Resolution            | 1280 × 1024                   |
| Brightness            | 250 nits                      |
| Refresh Rate          | 60Hz                          |
| Colors                | 16 million, 6-bit color depth |
| Touch                 | PCAP, 10-point multi-touch    |
| Ports                 | HDMI, VGA, USB Type C         |
| Operating Temperature | 32 F° to 120 F°               |
| Storage Temperature   | -4 F° to 140 F°               |
| Operating Humidity    | 10% to 85%                    |
| Warranty              | 3 years                       |
| Material              | Aluminum                      |
| Housing Color         | Black                         |
| Weight                | 8.6 lbs                       |
| Size                  | 15.5" (W) × 13" (D) × 13" (H) |

MODELS



## **932AD072600M33**

MONITOR LCD 17" PCAP DP171D +  
STAND

---

Via Berettine, 2 - 43010 Fontevivo PR - VAT: IT02498250345 - TEL: +39 0521 680111 - FAX: +39 0521 610701 - UNIQUE CODE: 8RQN7AZ

The technical data on this website are not binding and may be changed without advanced notice.

Last update: 17 May 2024